

## TECHNICAL DATA SHEET

# SILICONE RUBBER SHEETING

## PLATINUM CURED



### MATERIAL


Wacker Chemie Elastosil® R plus 4001/30 – 80°shore A

### AVAILABLE GRADES

60° shore A from stock, other hardnesses available on request

### TEMPERATURE

## Temperature Range



### GENERAL INFORMATION

MVQ Platinum Cured Silicone Rubber Sheets are produced from high quality grades exhibiting good transparency and mechanical properties. The sheets are properly postcured to comply with the requirements of FDA, BfR and EU 1935/2004 food contact regulations. The base material used is also specified to USP Class VI\* and again postcured sufficiently to meet this requirement.

\*It should be noted that MVQ Platinum Cured Sheet is usually coated with an FDA grade of talcum powder so please check with your sales contact at MVQ regarding talc free options where total compliance to USP Class VI is required.

### ENVIRONMENTAL RESISTANCE

Silicone rubber products have an excellent resistance to:

- ❖ Ozone
- ❖ Oxidation
- ❖ Ultraviolet light
- ❖ Corona discharge
- ❖ Cosmic radiation
- ❖ Ionising radiation
- ❖ Weathering in general

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

#### MVQ SILICONES GMBH

Industriepark Hertzstrasse, Hertzstrasse 11, D-69469 Weinheim, Deutschland, Tel 0049 6201 259040, Fax 0049 6201 2590410

E-Mail: [info@mvq-silicones.de](mailto:info@mvq-silicones.de), Website: [www.mvq-silicones.de](http://www.mvq-silicones.de), Registered in Germany No. HRB 701069

Director: K Soudah

# TECHNICAL DATA SHEET

## SILICONE RUBBER SHEETING

### PLATINUM CURED



#### AVAILABILITY FORMAT

- ✓ Supplied as moulded sheets of 362mm<sup>2</sup>
- ✓ Pressure sensitive adhesive backing
- ✓ Punched and water jet gaskets
- ✓ Full range of standard colours
- ✓ Capability to colour match

#### TYPICAL APPLICATIONS

MVQ Platinum Cured Silicone Sheets contain no peroxide curing agents and are generally used where peroxide biproducts need to be avoided. Applications include, but are not limited to seals, gaskets, strips and fabrications in pharmaceutical, medical and potable water industries.

#### MECHANICAL PROPERTIES

PROPERTY	TEST METHOD	UNIT	ELASTOSIL <sup>®</sup> R PLUS 4001		
			60	70	80
HARDNESS SHORE A	DIN 53 505				
APPEARANCE			Transparent	Transparent	Transparent
SPECIFIC GRAVITY	DIN EN ISO 1183-1 A	[g/cm <sup>3</sup> ]	1.14	1.16	1.18
TENSILE STRENGTH	DIN 53 504 S 1	[N/mm <sup>2</sup> ]	10.7	9.5	7.0
ELONGATION AT BREAK	DIN 53 504 S 1	[%]	685	650	400
TEAR RESISTANCE	ASTM D 624 B	[N/mm]	28	27	17
IMPACT RESILIENCE	DIN 53 512	[%]	59	60	62
COMPRESSION SET	DIN ISO 815-B (22h / 175°C)	[%]	19	35	< 25

Cure conditions 15min/165°C in press, postcuring for 4h/200°C in ventilated air.  
(These figures are only intended as a guide and should not be used in preparing specifications.)

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

#### MVQ SILICONES GMBH

Industriepark Hertzstrasse, Hertzstrasse 11, D-69469 Weinheim, Deutschland, Tel 0049 6201 259040, Fax 0049 6201 2590410  
E-Mail: [info@mvq-silicones.de](mailto:info@mvq-silicones.de), Website: [www.mvq-silicones.de](http://www.mvq-silicones.de), Registered in Germany No. HRB 701069  
Director: K Soudah

TECHNICAL DATA SHEET

# SILICONE RUBBER SHEETING

## PLATINUM CURED



### ***ACCREDITATIONS***

- ❖ FDA compliant
- ❖ BfR compliant
- ❖ USP Class VI\* compliant
- ❖ REACH compliant
- ❖ RoHS compliant

### ***ADDITIONAL INFORMATION***

This information and our technical advice, whether verbal, in writing or by way of trials, is given in good faith but without warranty. This also applies where proprietary rights are involved. Our advice does not release you from the obligations to check its validity and to test our products as to their suitability for their intended use. The storage, application and use of our products are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale. The information contained within this data sheet is subject to change without notice. Issue date 01.01.2019.

#### **MVQ SILICONES GMBH**

Industriepark Hertzstrasse, Hertzstrasse 11, D-69469 Weinheim, Deutschland, Tel 0049 6201 259040, Fax 0049 6201 2590410  
E-Mail: [info@mvq-silicones.de](mailto:info@mvq-silicones.de), Website: [www.mvq-silicones.de](http://www.mvq-silicones.de), Registered in Germany No. HRB 701069

Director: K Soudah